

Der VWS-Dübel „STYRO-FIX“ mit **Europäischer Technischer Zulassung nach ETAG 014** ist eine Befestigung für Vollwärmeschutz-Platten. Er ermöglicht eine korrosionsfreie Befestigung, da Dübel und Nagel aus Kunststoff gefertigt werden. 11 Abmessungen von 90mm - 210mm bieten eine große Auswahlmöglichkeit, die effektivste erforderliche Länge einzusetzen.



Produktspezifikation

Artikel Nummer	Maße Ø x L mm	Bohrer Ø mm	Kopf Ø mm	Bohrtiefe min. mm	Setztiefe min. mm	Nutzlänge max. mm	Umkarton Inhalt
17 500	10 x 90	10	60	50	40	50	200 St.
17 500	10 x 110	10	60	50	40	70	200 St.
17 500	10 x 120	10	60	50	40	80	200 St.
17 500	10 x 130	10	60	50	40	90	200 St.
17 500	10 x 140	10	60	50	40	100	200 St.
17 500	10 x 150	10	60	50	40	110	200 St.
17 500	10 x 160	10	60	50	40	120	200 St.
17 500	10 x 170	10	60	50	40	130	200 St.
17 500	10 x 180	10	60	50	40	140	200 St.
17 500	10 x 190	10	60	50	40	150	200 St.
17 500	10 x 210	10	60	50	40	170	200 St.



European Technical Assessment		ETA 12/0303 of 24/06/2018
Technical Assessment Body issuing the ETA	Technical and Test Institute for Construction Prague	
Trade name of the construction product	TTM 18/60 L ₊	
Product family to which the construction product belongs	Product area code 33 Plastic anchors for fixing of external thermal insulation composite systems with rendering in concrete and masonry	
Manufacturer	Hüfner-Dübel GmbH Gothaer Straße 50 99680 Waltershausen Germany	
Manufacturing plant(s)	Plant 1	
This European Technical Assessment contains	11 pages including 9 Annexes which form an integral part of this assessment.	
This European Technical Assessment is issued in accordance with regulation (EU) No 305/2011, on the basis of	EAD 330196-01-0604	
This version replaces	ETA 12/0303 issued on 28/05/2013	

Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and should be identified as such.
Communication of this European Technical Assessment, including transmission by electronic means, shall be in full (referred to the confidential Annexes) referred to above. However, partial reproduction may be made, with the written consent of the issuing Technical Assessment Body - Technical and Test Institute for Construction Prague. Any partial reproduction has to be identified as such.

KONTAKTIEREN SIE UNS

☎ +49 (0) 3622 92040
✉ office@huefner-duebel.de

UNSERE ADRESSE

Gothaer Straße 50
D-99880 Waltershausen

ONLINE AUFTRITT

🌐 www.huefner-duebel.de
f #Hüfner-Dübel GmbH