

The VWS anchor "STYRO-FIX" with European Technical Approval according to ETAG 014 is a fixing for full thermal insulation panels. It enables corrosion-free fastening, as the anchor and nail are made of plastic. 11 dimensions from 90mm - 210mm offer a wide choice of the most effective length required.



Product specification

Article Number	Dimensions Ø x L mm	Drill Ø mm	Head Ø mm	Drilling depth min. mm	Setting depth min. mm	Effective length max. mm	Outer carton Contents
17 500	10 x 90	10	60	50	40	50	200 pcs.
17 500	10 x 110	10	60	50	40	70	200 pcs.
17 500	10 x 120	10	60	50	40	80	200 pcs.
17 500	10 x 130	10	60	50	40	90	200 pcs.
17 500	10 x 140	10	60	50	40	100	200 pcs.
17 500	10 x 150	10	60	50	40	110	200 pcs.
17 500	10 x 160	10	60	50	40	120	200 pcs.
17 500	10 x 170	10	60	50	40	130	200 pcs.
17 500	10 x 180	10	60	50	40	140	200 pcs.
17 500	10 x 190	10	60	50	40	150	200 pcs.
17 500	10 x 210	10	60	50	40	170	200 pcs.



European Technical Assessment

ETA 12/0303
of 24/06/2018

Technical Assessment Body issuing the ETA	Technical and Test Institute for Construction Prague
Trade name of the construction product	TTH 18/60 L ₊
Product family to which the construction product belongs	Product area code 33 Plastic anchors for fixing of external thermal insulation composite systems with rendering in concrete and masonry
Manufacturer	Hüfner-Dübel GmbH Gothaer Straße 50 99880 Waltershausen Germany
Manufacturing plant(s)	Plant 1
This European Technical Assessment contains	11 pages including 9 Annexes which form an integral part of this assessment.
This European Technical Assessment is issued in accordance with regulation (EU) No 305/2011, on the basis of	EAD 330196-01-0604
This version replaces	ETA 12/0303 issued on 28/05/2013

Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and should be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full (except the confidential Annexes) referred to above; however, partial reproduction may be made, with the written consent of the issuing Technical Assessment Body - Technical and Test Institute for Construction Prague. Any partial reproduction has to be identified as such.

CONTACT US

☎ +49 (0) 3622 92040
✉ office@huefner-duebel.de

OUR ADDRESS

Gothaer Straße 50
D-99880 Waltershausen

ONLINE PRESENCE

🌐 www.huefner-duebel.de
f #Hüfner-Dübel GmbH